






Firetuf™ OFC-UT-NM Fire resistant Universal Central Tube Cable, variant in red

Indoor/Outdoor non-metallic LSHF-FR sheathed optical cable with 2 – 24 fibers. VDE: A/I-DQ(ZN)H





3rd party
verification of
the fire tests
by
BUREAU
VERITAS
December
2014

Application and installation

The application of this cable is circumstances where a very high degree of fire safety is required as the cable will function during a fire, has limited fire spread, has limited smoke generation and is halogen free.

The typical installation environment is indoor and indoor/outdoor in and between public buildings, in tunnels, metro lines and other places where one need very high degree of fire safety and support for critical communication. This cable is also suitable shipboard application.

The primary means of installation is on cable ladders, raceways and cable trays. The cable may also be pulled or blown into ducts over short distances. The cable may also be installed outdoor in the open, as the cable sheath is UV stabilised. However we do recommend the cable to be covered in order avoid tampering. The UV stabilisation of the cable sheath insure more than 15 years of safe operation in the open when installed in Northern Europe or the UK.

Standards

ISO 11801 2nd edition, EN 50173-1:2002, IEC 60794-1

Fire rating

Fire resistance tests	
IEC 60331-25 (120)	Fire resistance: 120 minutes at 750 °C (No fibre break)
EN 50200 PH 120	Fire resistance with fire and impact 120 minutes 830 °C (No fibre break)
EN 50200 ANNEX E PH 30	Fire resistance until 15 minutes of fire and impact alone , followed by 15 minutes of fire ,
	impact and water spray at 830 °C (No fibre break)
BS 8434 - 2	Fire resistance until 60 minutes of fire and impact alone , followed by 60 minutes of fire ,
	impact and water spray at 930 °C (No fibre break)
Flame retardant tests	
IEC 60332-1-2	Single vertical wire test
Flame propagation test	
IEC 60332-3-24 =	Vertically-mounted bunched wires and cables
IEC 332-3C	
Halogen acid & gas tests	
IEC 60754-1	No halogens
IEC 60754-2	No acid matters
Smoke emission tests	
IEC 61034-2	No dense smoke









Firetuf™ OFC-UT-NM Fire resistant Universal Central Tube Cable, variant in red

Construction

Loose tube	Ø4.0 m	nm jelly filled loose tube	e green colored wi	th up to 2 - 24 fibres
Fibre colour code	1	Red	13	Yellow w/mark per 100 mm
	2	Green	14	White w/mark per 100 mm
	3	Blue	15	Grey w/mark per 100 mm
	4	Yellow	16	Turquoise w/mark per 100 mm
	5	White	17	Orange w/mark per 100 mm
	6	Grey	18	Pink w/mark per 100 mm
	7	Brown	19	Yellow w/mark every 50 mm
	8	Violet	20	White w/mark every 50 mm
	9	Turquoise	21	Grey w/mark every 50 mm
	10	Black	22	Turquoise w/mark every 50 mm
	11	Orange	23	Orange w/mark every 50 mm
	12	Pink	24	Pink w/mark every 50 mm
Fire barrier	Tape(s	·)		
Strength member	Water	blocked E-Glass fibre e	lements	
Ripcord	1			
Sheath	2.5 mr	n red LSHF-FR sheath a	according to EN 50	290-2-27, UV stabilised
Print legend	Draka F	iretuf by Prysmian Gro	up FO I/O CT LSHF	F-FR 2.0 kN <fibre count=""> <fibre type=""> <fibre< td=""></fibre<></fibre></fibre>
-	brand>	<item no="">22<batch n<="" td=""><td>umber> <meter m<="" td=""><td>nark></td></meter></td></batch></item>	umber> <meter m<="" td=""><td>nark></td></meter>	nark>

Physical properties

IEC 60794-1

Property Te- metl		Value	
Nominal outer diameter	-	12.1 mm	
Nominal weight	-	167 kg/km	
Maximum installation tensile strength	E1	2000 N (ΔI/I fibre \leq 0.5%, $\Delta\alpha$ reversible) *	
Compressive strength (crush)	E3	1500 N / 100 mm, max 5 min ($\Delta \alpha$ reversible) *	
Impact	E7	No fibre break; 5 Nm, 3 impacts, r=300mm,	
Torsion	E7	5 cycles ± 1 turn	
Kink	E10	The cables do not form a kink when a loop is drawn together to a diameter of 20xD (Cable diameter) mm	
Min. bending radius, unloaded	E11	R = 121 mm	
Min. bending radius, loaded	-	R = 240 mm	
Temperature range	F1	Storage: -30°C to +60°C Installation: 0°C to +50°C Operation: -25°C to +70°C. ($\Delta \alpha$ 0.05 dB /km)**	
Water penetration	F5B	No water leakage after 24 hour, sample=3m, water=1m,	

^{*} Values for single-mode fibres, all optical measurements performed at 1550 nm,

Product codes – ordering information

Prysmian	Prysmian Group	Draka	Fibre	Fibre type	Fibre
group	material description	Material	count		data
material		code			sheet



^{**} Values for multi-mode fibres, all optical measurements performed at 850 nm or 1300 nm with 0.10 dB as threshold (tensile and crush will not be performed for MM fibres)







Firetuf™ OFC-UT-NM Fire resistant Universal Central Tube Cable, variant in red

code			

Delivery form: Wooden drum with protection.

Standard delivery length: 4 km with a tolerance of -+ 5%.

© PRYSMIAN GROUP 2015, All Rights Reserved

All sizes and values without tolerances are reference values. Specifications are for product as supplied by Prysmian Group: any modification or alteration afterwards of product may give different result.

The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the written consent of Prysmian Group. The information is believed to be correct at the time of issue. Prysmian Group reserves the right to amend this specification without prior notice. This specification is not contractually valid unless specifically authorised by Prysmian Group.





CO3





Properties of cable with standard Enhanced SM fibre

ESMF, low water peak single mode fibre G652D, OS2

General and application

The optical fibres are made of a high grade doped silica core surrounded by a silica cladding.

They are coated with a dual layer, UV cured acrylate based coating.

This enhanced single mode fibre provides improved performance across the entire 1260 nm to 1625 nm wavelength spectrum due to its low attenuation in 1383 nm, the water-peak region.

Standards and Norms

IEC / EN 60793-2-50 Category B.1.3	EN 50 173-1:2007, cat. OS2 and OS1
ITU-T Recommendation G.652.D and C, B, A	ISO / IEC 11801:2002, cat. OS2 and OS1
IEEE 802.3 – 2002 incl. 802.3ae	ISO / IEC 24702: 2006, cat. OS2 and OS1

Optical properties

Attribute	Measurement method	<u>Units</u>	<u>Limits</u>
Mode field diameter at 1310 nm	IEC/EN 60793-1-45	μm	9.0 ± 0.4
Mode field diameter at 1550 nm	IEC/EN 60/93-1-45	μm	10.1 ± 0.5
Chromatic dispersion coefficient:	IEC/EN 60793-1-42		
In the interval 1285 nm - 1330 nm		ps/km • nm	≤ 3
At 1550 nm		ps/km • nm	≤ 18.0
At 1625 nm		ps/km • nm	≤ 22.0
Zero dispersion wavelength, λ_0		nm	1300 - 1322
Zero dispersion slope		$ps/(nm^2 \cdot km)$	≤ 0.090
Cut-off wavelength	IEC/EN 60793-1-44	λ_{cc} nm	≤ 1260 *
Polarisation mode dispersion (PMD) coefficient	IEC/EN 60793-1-48	ps/√km	≤ 0.5
PMD_0 Link Design Value (computed with Q=0.01%, N=20)	IEC/EN 60794-3	ps/√km	≤ 0.2

^{*} guaranteed value according to the ITU-T (ATM G650) method

Attenuation

<u>Attribute</u>	Measurement method	<u>Units</u>	<u>Limits</u>
Maximum attenuation value of cable in the interval 1310 nm – 1625 nm	IEC/EN 60793-1-40	dB/km	≤ 0.39
Maximum attenuation value of cable at 1550 nm	IEC/EN 60793-1-40	dB/km	≤ 0.25
Local discontinuity at 1310 and 1550 nm	IEC/EN 60793-1-40	dB	Max. 0.1

Attenuation variation vs Bending

<u>Attribute</u>	Measurement method	<u>Units</u>	<u>Limits</u>
100 turns on a R=25 mm mandrel at 1310 & 1550 nm	IEC/EN 60793-1-47	dB	≤ 0.05
100 turns on a R=30 mm mandrel at 1625 nm	IEC/EN 60793-1-47	dB	≤ 0.05



CO3





Group index of refraction

<u>Attribute</u>	Measurement method	<u>Units</u>	<u>Values</u>
1310 nm	IEC/EN 60793-1-22	-	1.467
1550 nm	IEC/EN 60793-1-22	-	1.468
1625 nm	IEC/EN 60793-1-22	-	1.468

Geometrical properties

Attribute	Measurement method	<u>Units</u>	<u>Limits</u>
Cladding diameter	IEC/EN 60793-1-20	μm	125.0 ± 0.7
Cladding non-circularity	IEC/EN 60793-1-20	%	≤ 0.7
Core (MDF) -cladding concentricity error	IEC/EN 60793-1-20	μm	≤ 0.5
Primary coating diameter – ColorLock _® xs and natural	IEC/EN 60793-1-21	μm	242 ± 7
Primary coating non-circularity	IEC/EN 60793-1-21	%	≤ 5
Primary coating-cladding concentricity error	IEC/EN 60793-1-21	μm	≤ 12

Mechanical properties

<u>Attribute</u>	Measurement method	<u>Units</u>	<u>Limits</u>
Proof stress level	IEC/EN 60793-1-30	GPa	≥ 0.7 (≈ 1 %)
Strip force (peak)	IEC/EN 60793-1-32	N	$1.2 \le F_{peak.strip} \le 8.9$
Dynamic fatigue resistance aged and unaged	IEC / EN 60793-1-33	(N_d)	≥ 20
Static fatigue, aged	IEC / EN 60793-1-33	(N _s)	≥ 23

All measurements in accordance with ITU-T G650 recommendations

All sizes and values without tolerances are reference values. Specifications are for product as supplied by PrysmianGroup: any modification or alteration afterwards of product may give different result.

The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the written consent of PrysmianGroup. The information is believed to be correct at the time of issue. PrysmianGroup reserves the right to amend this specification without prior notice. This specification is not contractually valid unless specifically authorised by PrysmianGroup.

[©] PrysmianGroup 2012, All Rights Reserved