


Description: BS 5308 Part 2, Type 2, Individually & Collective Aluminium Tape (ICAT), Steel Wire Armoured (SWA) PVC Blue Sheath.



Construction

Conductor Material	: Plain Annealed Copper
Stranding	: 0.5mm ² (16/0.2mm), 0.75mm ² (24/0.2mm) 1.5mm ² (7/0.53mm)
Insulation Material	: PVC
Individual Screen	: Aluminium Foil, (100% Coverage) Each Pair
Drain Wire	: Tinned Copper, 0.5mm ² (16/0.2mm)
Overall Screen	: Aluminium Foil (100% Coverage)
Drain Wire	: Tinned Copper, 0.5mm ² (16/0.2mm)
Inner Sheath	: PVC, Black
Armour	: Galvanised Steel Wire Armour (SWA)
Sheath Material	: PVC, Blue
Core Identification	: See Attached

Electrical Characteristics

Conductor Size		0.5mm ² (16/0.2)	0.75mm ² (24/0.2)	1.5mm ² (7/0.53)
Conductor Resistance @ 20°C		39.7 Ω/km	26.5 Ω/km	12.3 Ω/km
Insulation Resistance		5000 MΩ x km		
Mutual Capacitance @ 0.8 resp. 1 kHz	1 & 2 Pair/1 Quad	115 pF/m	115 pF/m	120 pF/m
	5 Pair & Above	75 pF/m	75 pF/m	85 pF/m
Capacitance Unbalance @ 1 kHz		250 pF/250m		
L/R Ratio		25 μH/Ω	25 μH/Ω	40 μH/Ω
Voltage Rating		300/500V		
Test Voltage		1000V		

Physical Characteristics

Overall Diameter	: See Table
Bend Radius	: 6 x OD
Temperature Rating	: +70°C
Weight	: See Table

Standards

RoHS3 Compliant	: Yes
Flame Retardant	: BS EN 60332-1-2
CE Compliant	: LVD (2014/35/EU)

Part No.	Pairs. x mm ²	Weight kg/km	O/D mm	Part No.	Pairs. x mm ²	Weight kg/km	O/D mm
5322105021	2 x 2 x 0.5	457	16.8	5322107201	20 x 2 x 0.75	2410	37.8
5322105101	10 x 2 x 0.5	757	20.9	5322115021	2 x 2 x 1.5	737	20.4
5322105201	20 x 2 x 0.5	2237	34.3	5322115051	5 x 2 x 1.5	1187	25.4
5322107021	2 x 2 x 0.75	500	17.6	5322115201	20 x 2 x 1.5	3053	42.6
5322107051	5 x 2 x 0.75	935	20.9				

Description: BS 5308 Part 2, Type 2, Individually & Collective Aluminium Tape (ICAT), Steel Wire Armoured (SWA) PVC Blue Sheath.

BS 5308 Part 2 Colour Code

Pair	A-Wire	B-Wire
1	White	Blue
2	White	Orange
3	White	Green
4	White	Brown
5	White	Grey
6	Red	Blue
7	Red	Orange
8	Red	Green
9	Red	Brown
10	Red	Grey
11	Black	Blue
12	Black	Orange
13	Black	Green
14	Black	Brown
15	Black	Grey
16	Yellow	Blue
17	Yellow	Orange
18	Yellow	Green
19	Yellow	Brown
20	Yellow	Grey

Whilst commonly referred to as BS 5308 cables these cable types are now generally manufactured to the replacement standard PAS 5308

Shoal Group endeavours to ensure all information on the website, specification sheets and all other technical information is accurate. Actual cable dimensions may vary due to different manufacturer techniques, tolerances and production processes. If you have a specific requirement please specify this at time of enquiry.

The information is for guidance only and it is subject to change without notice or liability.